



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.1 - Patient Assessment/Mgmt

# Station 1

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

PRIMARY SURVEY/RESUSCITATION	Mark One	
	No Point	Point
SCENARIO: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F <input type="checkbox"/> G <input type="checkbox"/> H		
1. Verbalizes or takes body substance isolation precautions	0	1
2. Takes or directs in-line immobilization of the head	0	1
3. Airway: Opens and assesses airway	0	1
4. Airway: Inserts adjunct	0	1
5. Breathing: Assesses breathing	0	1
6. Breathing: Initiates appropriate oxygen therapy	0	1
7. Breathing: Assures adequate ventilation of patient	0	1
8. Breathing: Manages any injury which may cause breathing/ventilation compromise	0	1
9. Circulation: Assesses pulse	0	1
10. Circulation: Assesses peripheral perfusion	0	1
11. Circulation: Assesses for and controls major bleeding, if present	0	1
12. Circulation: Assesses vital signs	0	1
13. Circulation: Verbalizes consideration or application of PASG	0	1
14. Circulation: Volume Replacement - Initiates first IV line	0	1
15. Circulation: Volume Replacement - Initiates second IV line	0	1
16. Circulation: Volume Replacement - Selects appropriate catheters	0	1
17. Circulation: Volume Replacement - Selects appropriate IV solutions and administration sets	0	1
18. Circulation: Volume Replacement - Infuses at appropriate rate	0	1
19. Disability: Performs mini-neuro assessment: AVPU	0	1
20. Disability: Applies cervical collar	0	1
21. Exposure: Removes clothing as necessary	0	1
22. Status: Calls for immediate transport of the patient when indicated	0	1
<i>Max. Points 22</i> TOTAL POINTS:		

PRIMARY SURVEY START TIME:	
TRANSPORT TIME:	
SECONDARY SURVEY END TIME:	

**CONTINUED ON REVERSE - SECONDARY SURVEY**

**Station 1 - Patient Assessment/Management:**

Fail	Pass
------	------





**MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 - Ventilatory Management**

# Station 2

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

ADULT ENDOTRACHEAL INTUBATION		Mark One	
		No Point	Point
1.	Verbalizes or takes body substance isolation precautions	0	1
2.	Opens airway manually	0	1
3.	Elevates tongue, inserts OPA/NPA	0	1
NOTE: Examiner informs candidate no gag reflex is present and patient accepts adjunct.			
4.	Ventilates patient immediately with BVM (BVM unattached to oxygen)	0	1
5.	Hyperventilates patient with room air	0	1
NOTE: Examiner now informs candidate that ventilation is being performed without difficulty.			
6.	Attaches oxygen reservoir to BVM and administers high-flow oxygen (12-15 lpm)	0	1
7.	Ventilates patient at a rate of 10-20/min, and volumes of at least 800ml	0	1
NOTE: After 30 seconds, Examiner auscultates and reports breath sounds are present and equal bilaterally and medical control has ordered intubation. The Examiner must now take over ventilation.			
8.	Directs assistant to hyperventilate patient	0	1
9.	Identifies/selects proper equipment for intubation	0	1
10.	Checks equipment for: cuff leaks	0	1
11.	Checks equipment for: laryngoscope operational and bulb tight	0	1
NOTE: Examiner to remove OPA and move out of way when candidate is prepared to intubate.			
12.	Positions head properly	0	1
13.	Inserts blade while displacing tongue	0	1
14.	Elevates mandible with laryngoscope	0	1
15.	Introduces ET tube and advances to proper depth	0	1
16.	Inflates cuff to proper pressure and disconnects syringe	0	1
17.	Directs ventilation of patient	0	1
18.	Confirms proper placement by auscultation bilaterally and over epigastrium	0	1
NOTE: Examiner to ask: "If you had proper placement, what would you expect to hear?"			
19.	Secures ET tube (may be verbalized)	0	1
		Max. Points 19	TOTAL POINTS:

### Critical Criteria

- ☐ Did not initiate ventilations within 30 seconds after applying body substance isolation precautions or interrupts ventilations for greater than 30 seconds at any time
- ☐ Did not take or verbalize body substance isolation precautions
- ☐ Did not voice and ultimately provide high oxygen concentrations (at least 85%)
- ☐ Did not ventilate patient at a rate of at least 10/minute
- ☐ Did not provide adequate volumes per breath (max. 2 errors/minute permissible)
- ☐ Did not hyperventilate patient prior to intubation
- ☐ Did not successfully intubate within 3 attempts
- ☐ Used teeth as a fulcrum
- ☐ Did not assure proper tube placement by auscultation bilaterally AND over epigastrium
- ☐ If used, stylette extended beyond end of ET tube
- ☐ Inserted any adjunct in a manner dangerous to patient
- ☐ Did not achieve  $\geq 75\%$  point score (15 of 19 Points)

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## Station 2 – Adult ET:

Fail	Pass
------	------



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 - Ventilatory Management

# Station 2

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

PEDIATRIC ENDOTRACHEAL INTUBATION	Mark One	
	No Point	Point
1. Verbalizes or takes body substance isolation precautions	0	1
2. Manually opens the airway	0	1
3. Inserts simple airway adjunct (i.e. oropharyngeal airway)	0	1
4. Provides mechanical ventilations with BVM (with or without oxygen)	0	1
5. Hyperventilates the patient with BVM (with or without oxygen)	0	1
6. Connects reservoir of BVM to oxygen regulator	0	1
7. Provides assisted ventilations using BVM and high-flow oxygen	0	1
8. Directs assistant to hyperventilate patient	0	1
9. Selects appropriate intubation equipment	0	1
10. Properly assembles equipment	0	1
11. Removes OPA or instructs assistant to remove OPA	0	1
12. Properly positions patient for intubation (sniffing position)	0	1
13. Properly inserts laryngoscope blade	0	1
14. Elevates patient's mandible with laryngoscope blade	0	1
15. Inserts ET tube to proper depth	0	1
16. Provides or instructs assistant to provide adequate mechanical ventilations	0	1
17. Auscultates breath sound bilaterally AND over epigastrium	0	1
18. Properly secures ET tube (may be verbalized)	0	1
Max. Points 18		TOTAL POINTS:

### Critical Criteria

- ☐ Did not initiate ventilations within 30 seconds after initiating body substance isolation precautions
- ☐ Did not maintain assisted ventilations by interrupting ventilations for greater than 30 seconds at any time
- ☐ Did not take or verbalize body substance isolation precautions
- ☐ Did not voice and ultimately provide high oxygen concentrations (at least 85%)
- ☐ Did not ventilate patient at proper rate for age group (AHA standards)
- ☐ Did not provide adequate volumes per breath (max. 2 errors/minute permissible)
- ☐ Did not hyperventilate patient prior to intubation
- ☐ Did not successfully intubate within 3 attempts
- ☐ Used teeth/gums as a fulcrum
- ☐ Did not assure proper tube placement by auscultation bilaterally AND over epigastrium
- ☐ If used, stylette extended beyond end of ET tube
- ☐ Inserted any adjunct in a manner dangerous to patient
- ☐ Did not achieve  $\geq 75\%$  point score (14 of 18 Points)

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## Station 2 – Pediatric ET:

Fail	Pass
------	------



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 – Random Basic Skills

# Station 3

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

SPINE IMMOBILIZATION (LYING PATIENT)	Mark One	
	No Point	Point
1. Verbalizes or takes body substance isolation precautions	0	1
2. Directs assistant to apply & maintain head in neutral, in-line position	0	1
3. Directs assistant to maintain manual immobilization of the head	0	1
4. Assesses motor, sensory, and distal circulation in extremities	0	1
5. Applies appropriately sized cervical collar	0	1
6. Positions immobilization device appropriately	0	1
7. Moves patient onto device without compromising integrity of the spine	0	1
8. Applies padding to voids between torso and device as necessary	0	1
9. Immobilizes torso to device	0	1
10. Evaluates and pads behind patient's head as necessary	0	1
11. Immobilizes patient's head to device	0	1
12. Secures patient's legs to device	0	1
13. Secures patient's arms to the device	0	1
14. Reassesses motor, sensory, and distal circulation in extremities	0	1

Max. Points 14 TOTAL POINTS:

SKILL START TIME:

SKILL END TIME:

### Critical Criteria

- ☐ Did not immediately direct or take manual immobilization of head
- ☐ Released or ordered release of manual immobilization before it was maintained mechanically
- ☐ Did not complete immobilization of torso prior to immobilizing head
- ☐ Device moved excessively up, down, left, or right on patient's torso
- ☐ Head immobilization allowed for excessive movement
- ☐ Upon completion, head is not in neutral, in-line position
- ☐ Patient manipulated or moved excessively causing potential spine compromise
- ☐ Did not reassess motor, sensory, and distal circulation after immobilization
- ☐ Did not achieve  $\geq 75\%$  point score (11 of 14 Points)

Comments:

---

---

---

---

---

---

---

---

## Station 3 – RBS: Spine Immobilization:

Fail	Pass
------	------



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 – Random Basic Skills

# Station 3

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

BLEEDING, WOUNDS, & SHOCK		Mark One	
		No Point	Point
1.	Verbalizes or takes body substance isolation precautions	0	1
2.	Applies direct pressure to the wound	0	1
3.	Elevates the extremity	0	1
4.	Applies pressure dressing to the wound	0	1
5.	Bandages wound	0	1
NOTE: The Examiner must now inform the candidate that the wound is still bleeding. The second dressing does not control the bleeding			
6.	Locates and applies pressure to appropriate arterial pressure point	0	1
NOTE: The Examiner must indicate that the victim is in compensatory shock.			
7.	Applies high concentration oxygen	0	1
8.	Properly positions patient (supine with legs elevated)	0	1
9.	Prevents heat loss (covers patient as appropriate)	0	1
NOTE: The Examiner must indicate that the victim is in profound shock. Medical control has ordered application and inflation of the PASG.			
10.	Removes clothing or checks for sharp objects	0	1
11.	Quickly assesses areas that will be under PASG	0	1
12.	Positions PASG with top of abdominal section at or below lowest set of ribs	0	1
13.	Secures PASG around patient	0	1
14.	Attaches hoses	0	1
15.	Begins inflation sequence (Examiner to stop inflation at 15 mmHg)	0	1
16.	Checks blood pressure	0	1
17.	Verbalizes when to stop inflation sequence	0	1
18.	Operates PASG to maintain air pressure in device	0	1
19.	Reassesses vital signs	0	1
		Max. Points 19	TOTAL POINTS:

SKILL START TIME:	
SKILL END TIME:	

## Critical Criteria

- ☐ Did not take or verbalize body substance isolation precautions
- ☐ Did not apply high concentration oxygen
- ☐ Applied tourniquet before attempting other methods of hemorrhage control
- ☐ Did not control hemorrhage or attempt to control hemorrhage in a timely manner
- ☐ Inflated abdominal section of PASG before the legs
- ☐ Did not reassess patient's vital signs after PASG inflation
- ☐ Placed PASG on inside-out
- ☐ Allowed deflation of PASG after inflation
- ☐ Positioned PASG above level of lowest rib
- ☐ Did not achieve  $\geq 75\%$  point score (15 of 19 Points)

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## Station 3 – RBS: Bleeding, Wounds, & Shock:

Fail	Pass
------	------



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 – Random Basic Skills

# Station 3

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

TRACTION SPLINTING		Mark One	
		No Point	Point
1.	Verbalizes or takes body substance isolation precautions	0	1
2.	Directs manual stabilization of injured leg	0	1
3.	Directs application of manual traction	0	1
4.	Assesses motor, sensory, and distal circulation	0	1
NOTE: Examiner acknowledges present and normal.			
5.	Prepares/adjusts splint to proper length	0	1
6.	Positions splint at injured leg	0	1
7.	Applies proximal securing device (e.g. – ischial strap)	0	1
8.	Applies distal securing device (e.g. – ankle hitch)	0	1
9.	Applies mechanical traction	0	1
10.	Positions/secures support straps	0	1
11.	Re-evaluates proximal/distal securing devices	0	1
12.	Reassesses motor, sensory, and distal circulation	0	1
NOTE: Examiner acknowledges present and normal. Examiner must ask candidate how he/she would prepare for transport.			
13.	Verbalizes securing torso to long board to immobilize hip	0	1
14.	Verbalizes securing splint to long board to prevent movement of splint	0	1
Max. Points 14			TOTAL POINTS:

SKILL START TIME:
SKILL END TIME:

### Critical Criteria

- ☐ Loss of traction at any point after it is assumed
- ☐ Did not reassess motor, sensory, and distal circulation after splinting
- ☐ Foot excessively rotated or extended after splinting
- ☐ Did not secure ischial strap before taking mechanical traction
- ☐ Final immobilization failed to support femur or prevent rotation of injured leg
- ☐ Did not achieve  $\geq 75\%$  point score (11 of 14 Points)

Comments:


## Station 3 – RBS: Traction Splinting:

Fail	Pass
------	------



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 – Random Basic Skills

# Station 3

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

LONG BONE IMMOBILIZATION		Mark One	
		No Point	Point
1.	Verbalizes or takes body substance isolation precautions	0	1
2.	Directs application of manual stabilization	0	1
3.	Assesses motor, sensory, and distal circulation	0	1
NOTE: Examiner acknowledges present and normal.			
4.	Measures splint	0	1
5.	Applies splint	0	1
6.	Immobilizes joint above fracture	0	1
7.	Immobilizes joint below fracture	0	1
8.	Secures entire injured extremity	0	1
9.	Immobilizes hand/foot in position of function	0	1
10.	Reassesses motor, sensory, and distal circulation	0	1
NOTE: Examiner acknowledges present and normal.			
		Max. Points 10	TOTAL POINTS: <input type="text"/>

SKILL START TIME:	<input type="text"/>
SKILL END TIME:	<input type="text"/>

### Critical Criteria

- ☐ Grossly moves injured extremity
- ☐ Did not immobilize adjacent joints, injury, or limb
- ☐ Did not reassess motor, sensory, and distal circulation after splinting
- ☐ Did not achieve  $\geq 75\%$  point score (8 of 10 Points)

Comments:

Station 3 – RBS: Long Bone Immobilization:

Fail	Pass
------	------





MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 – Spine Immobilization

# Station 4

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

SEATED PATIENT		Mark One	
Immobilization Device Used: (Circle One)			
SHORT SPINE BOARD      KED/XP -1/OTHER: _____		No Point	Point
1.	Verbalizes or takes body substance isolation precautions	0	1
2.	Directs assistant to apply & maintain head in neutral, in-line position	0	1
3.	Directs assistant to maintain manual immobilization of the head	0	1
4.	Assesses motor, sensory, and distal circulation in extremities	0	1
5.	Applies appropriately sized cervical collar	0	1
6.	Inserts & positions immobilization device behind patient	0	1
7.	Secures immobilization device to torso	0	1
8.	Evaluates torso fixation and adjusts as necessary	0	1
9.	Evaluates and pads behind patient's head as necessary	0	1
10.	Secures patient's head to immobilization device	0	1
11.	Reassesses motor, sensory, and distal circulation in extremities	0	1
12.	Verbalizes moving the patient to a long board properly	0	1
		Max. Points 12    TOTAL POINTS:	

SKILL START TIME:	
SKILL END TIME:	

### Critical Criteria - Spine Immobilization

- ☐ Did not immediately direct or take manual immobilization of head
- ☐ Released or ordered release of manual immobilization before it was maintained mechanically
- ☐ Patient manipulated or moved excessively causing potential spine compromise
- ☐ Did not complete immobilization of torso prior to immobilizing head
- ☐ Device moved excessively up, down, left, or right on patient's torso
- ☐ Torso fixation inhibited chest rise resulting in potential respiratory compromise
- ☐ Head immobilization allowed for excessive movement
- ☐ Upon completion, head is not in neutral, in-line position
- ☐ Did not achieve  $\geq 75\%$  point score (9 of 12 Points)

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

## Station 4 – Spine Immobilization:

Fail	Pass
------	------



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.1 – IV & IV Meds (rev 12/01)

# Station 5

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

INTRAVENOUS THERAPY	Mark One	
	No Point	Point
1. Checks selected IV fluid for: proper fluid	0	1
2. Checks selected IV fluid for: clarity	0	1
3. Selects appropriate catheter	0	1
4. Selects proper administration set	0	1
5. Connects IV tubing to the IV bag	0	1
6. Prepares administration set (fills drip chamber and flushes tubing)	0	1
7. Cuts or tears tape (at any time prior to venipuncture)	0	1
8. Verbalizes or takes body substance isolation precautions (prior to venipuncture)	0	1
9. Applies tourniquet	0	1
10. Palpates suitable vein	0	1
11. Cleanses site appropriately	0	1
12. Performs venipuncture: Inserts stylette	0	1
13. Performs venipuncture: Verbalizes flashback	0	1
14. Performs venipuncture: Occludes vein proximal to catheter	0	1
15. Performs venipuncture: Removes stylette	0	1
16. Disposes/verbalizes disposal of needle in proper container	0	1
17. Performs venipuncture: Connects IV tubing to catheter	0	1
18. Releases tourniquet	0	1
19. Runs IV briefly to assure patent line	0	1
20. Secures catheter (tapes securely or verbalizes)	0	1
21. Adjusts flow rate as appropriate	0	1
Max. Points 21		TOTAL POINTS:

SKILL START TIME:	
SKILL END TIME:	

### Critical Criteria

- ☐ Did not establish a patent and properly adjusted IV within 6 minutes
- ☐ Did not take or verbalize body substance isolation precautions prior to venipuncture
- ☐ Contaminated equipment or site without appropriately correcting situation
- ☐ Used improper technique resulting in potential for catheter shear or air embolism
- ☐ Did not successfully establish IV within 3 attempts during 6 minutes time limit
- ☐ Did not dispose/verbalize disposal of needle in proper container
- ☐ Did not achieve  $\geq 75\%$  point score (16 of 21 Points)

Comments:

---

---

---

---

---

---

---

---

## Station 5 – IV Therapy:

Fail	Pass
------	------



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 – IV & IV Meds

# Station 5

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

INTRAVENOUS BOLUS MEDICATIONS		Mark One	
NOTE: Check here <input type="checkbox"/> if candidate did not establish patent IV and do not evaluate these skills		No Point	Point
1. Asks patient for known allergies		0	1
2. Selects correct medication		0	1
3. Assures correct concentration of drug		0	1
4. Assembles prefilled syringe correctly and dispels air		0	1
5. Continues body substance isolation precautions		0	1
6. Cleanses injection site (Y-port or hub)		0	1
7. Reaffirms medication		0	1
8. Stops IV flow (pinches tubing)		0	1
9. Administers correct dose at proper push rate		0	1
10. Flushes tubing (briefly runs wide open)		0	1
11. Adjusts drip rate to TKO (KVO)		0	1
12. Disposes/verbalizes disposal of syringe and needle in proper container		0	1
13. Verbalizes need to observe patient for desired effect(s) and adverse side effect(s)		0	1
Max. Points 13		TOTAL POINTS:	

SKILL START TIME:	
BOLUS TIME:	
SKILL END TIME:	

### Critical Criteria

- ☐ Did not begin administration of medication within 3 minute time limit
- ☐ Contaminated equipment or site without appropriately correcting situation
- ☐ Did not adequately dispel air resulting in potential for air embolism
- ☐ Injected improper drug or dosage (wrong drug, incorrect amount, or pushes at inappropriate rate)
- ☐ Did not flush IV tubing after injecting medication
- ☐ Recaps needle or did not dispose/verbalize disposal of syringe and needle in proper container
- ☐ Did not achieve  $\geq 75\%$  point score (10 of 13 Points)

Comments:

---

---

---

---

---

---

---

---

CONTINUED ON REVERSE - IV PIGGYBACK MEDICATIONS

## Station 5 – IV Bolus & Piggyback Meds:

Fail	Pass
------	------



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 – IV & IV Meds

# Station 5

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

INTRAVENOUS PIGGYBACK MEDICATIONS	Mark One	
	No Point	Point
1. Has confirmed allergies by now (award point if previously confirmed)	0	1
2. Checks selected IV fluid for: proper fluid	0	1
3. Checks selected IV fluid for: clarity	0	1
4. Checks selected medication for: clarity	0	1
5. Checks selected medication for: concentration of medication	0	1
6. Injects correct amount of medication into IV solution (relative to scenario)	0	1
7. Connects appropriate administration set to medication solution	0	1
8. Prepares administration set (fills drip chamber and flushes tubing)	0	1
9. Attaches appropriate needle to administration set	0	1
10. Continues body substance isolation precautions	0	1
11. Cleanses port of primary line	0	1
12. Inserts needle into port without contamination	0	1
13. Adjusts flow rate of secondary line as required	0	1
14. Stops flow of primary line	0	1
15. Securely tapes needle	0	1
16. Verbalizes need to observe patient for desired effect(s) and adverse side effect(s)	0	1
17. Labels medication/fluid bag	0	1
Max. Points 17		TOTAL POINTS:

SKILL START TIME:	
PIGGYBACK TIME:	
SKILL END TIME:	

### Critical Criteria

- ☐ Did not begin administration of medication within 5 minute time limit
- ☐ Contaminated equipment or site without appropriately correcting situation
- ☐ Injected improper drug or dosage (wrong drug, incorrect amount, or infuses at inappropriate rate)
- ☐ Did not flush IV tubing of secondary line resulting in potential for air embolism
- ☐ Did not shut off flow of primary line
- ☐ Did not achieve  $\geq 75\%$  point score (13 of 17 Points)

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



MASSACHUSETTS DEPARTMENT OF PUBLIC HEALTH  
OFFICE OF EMERGENCY MEDICAL SERVICES  
Advanced EMT Practical Examination 1.0 – Cardiac Arrest Management

# Station 6

Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

DYNAMIC CARDIOLOGY	Mark One	
	No Point	Point
SET USED: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F <input type="checkbox"/> G <input type="checkbox"/> H		
1. Verbalizes or takes body substance isolation precautions	0	1
2. Checks level of responsiveness	0	1
3. Checks ABCs	0	1
4. Initiates CPR if appropriate (verbalizes)	0	1
5. Performs “quick look” with paddles	0	1
6. Correctly interprets initial rhythm	0	1
7. Appropriately manages initial rhythm: Minimum acceptable accomplished	0	1
8. Appropriately manages initial rhythm: Completely	0	1
9. Notes change in rhythm	0	1
10. Checks patient condition to include pulse and, if appropriate, BP	0	1
11. Correctly interprets second rhythm	0	1
12. Appropriately manages second rhythm: Minimum acceptable accomplished	0	1
13. Appropriately manages second rhythm: Completely	0	1
14. Notes change in rhythm	0	1
15. Checks patient condition to include pulse and, if appropriate, BP	0	1
16. Correctly interprets third rhythm	0	1
17. Appropriately manages third rhythm: Minimum acceptable accomplished	0	1
18. Appropriately manages third rhythm: Completely	0	1
19. Notes change in rhythm	0	1
20. Checks patient condition to include pulse and, if appropriate, BP	0	1
21. Correctly interprets fourth rhythm	0	1
22. Appropriately manages fourth rhythm: Minimum acceptable accomplished	0	1
23. Appropriately manages fourth rhythm: Completely	0	1
24. Orders high percentages of supplemental oxygen at proper times	0	1
Max. Points 24    TOTAL POINTS:		


SKILL START TIME:	
SKILL END TIME:	

### Critical Criteria

- ☐ Did not deliver first shock in a timely manner due to operator delay in machine use or providing treatments other than CPR with simple adjuncts
- ☐ Did not deliver second or third shocks without delay other than the time required to reassess and recharge paddles
- ☐ Did not verify rhythm before delivering each shock
- ☐ Did not ensure the safety of self and others (verbalizes “All clear” and observes)
- ☐ Did not deliver DC shock (does not use machine properly)
- ☐ Did not demonstrate acceptable shock sequence
- ☐ Did not order initiation or resumption of CPR when appropriate
- ☐ Did not order correct management of airway (ET when appropriate)
- ☐ Did not order administration of appropriate oxygen at proper time
- ☐ Did not diagnose or treat 2 or more rhythms correctly
- ☐ Ordered administration of inappropriate drug or lethal dosage
- ☐ Did not correctly diagnose or adequately treat v-fib, v-tach, or asystole
- ☐ Did not achieve  $\geq 75\%$  point score: Dynamic Cardiology (18 of 24 Points)

## Station 6 – Cardiac Arrest Management:

Fail	Pass
------	------



Candidate #	Candidate Name	Date	Examiner
-------------	----------------	------	----------

No points for treatment may be awarded if diagnosis is incorrect. Document incorrect responses in space provided.

STATIC CARDIOLOGY		Mark One	
SET USED:	<input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F <input type="checkbox"/> G <input type="checkbox"/> H	No Point	Point
STRIP #1: Diagnosis		0	1
STRIP #1: Treatment – minimum acceptable accomplished		0	1
STRIP #1: Treatment – complete		0	1
STRIP #2: Diagnosis		0	1
STRIP #2: Treatment – minimum acceptable accomplished		0	1
STRIP #2: Treatment – complete		0	1
STRIP #3: Diagnosis		0	1
STRIP #3: Treatment – minimum acceptable accomplished		0	1
STRIP #3: Treatment – complete		0	1
STRIP #4: Diagnosis		0	1
STRIP #4: Treatment – minimum acceptable accomplished		0	1
STRIP #4: Treatment – complete		0	1

Max. Points 12

TOTAL POINTS:

Comments:

---

---

---

---

---

---